



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

: Confirmation No. 4244

Yoshihiko HIGUCHI et al.

: Docket No. 2003\_1789

Serial No. 08/959,125

: Group Art Unit 1743

Filed October 28, 1997

: Examiner L. Alexander

DRY MEASURING TEST DEVICE

RECEIVED  
JAN 07 2004  
TC 1700

**PATENT OFFICE FEE TRANSMITTAL FORM**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

THE COMMISSIONER IS AUTHORIZED  
TO CHARGE ANY DEFICIENCY IN THE  
FEE FOR THIS PAPER TO DEPOSIT  
ACCOUNT NO. 23-0975.

Sir:

Attached hereto is a check in the amount of **\$110.00** to cover Patent Office fees relating to filing the following attached papers:

**Petition for Extension of Time** ..... **\$110.00**

**Other:** ..... \$

A duplicate copy of this paper is being submitted for use in the Accounting Division, Office of Finance.

*The Commissioner is authorized to charge any deficiency or to credit any overpayment associated with this communication to Deposit Account No. 23-0975, with the EXCEPTION of deficiencies in fees for multiple dependent claims in new applications.*

Respectfully submitted,

Yoshihiko HIGUCHI et al.

By Warren M. Cheek, Jr.  
Warren M. Cheek, Jr.  
Registration No. 33,367  
Attorney for Applicants

WMC/dlk  
WENDEROTH, LIND & PONACK, L.L.P.  
2033 K St., N.W., Suite 800  
Washington, D.C. 20006-1021  
Telephone (202) 721-8200  
December 23, 2003

[Check No. 59406]

2003\_1789



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : **Confirmation No. 4244**  
Yoshihiko HIGUCHI et al. : Docket No. 2003\_1789  
Serial No. 08/959,125 : Group Art Unit 1743  
Filed October 28, 1997 : Examiner L. Alexander  
DRY MEASURING TEST DEVICE

**RECEIVED**  
JAN 07 2004  
TC 1700

---

**AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Responsive to the Official Action dated August 25, 2003, the time for responding thereto being extended for one month in accordance with a petition for extension submitted concurrently herewith, please amend the above-identified application as follows: